

002429

2012-013

**2011****1**

## 1.1

<http://www.cninfo.com.cn>

## 1.2

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

## 1.3

## 1.4

( )

**2****2.1**

|  |        |
|--|--------|
|  |        |
|  | 002429 |
|  |        |

**2.2**

|  |                 |                 |
|--|-----------------|-----------------|
|  |                 |                 |
|  |                 |                 |
|  | 3069<br>32 A    | 3069<br>32 A    |
|  | 0755-33345613   | 0755-33345613   |
|  | 0755-33345607   | 0755-33345607   |
|  | ls@szmtc.com.cn | ls@szmtc.com.cn |

**3****3.1**

|  | 2011             | 2010             |         | 2009             |
|--|------------------|------------------|---------|------------------|
|  | 4,473,464,458.16 | 3,018,628,241.71 | 48.20%  | 2,842,104,773.40 |
|  | 473,484,817.44   | 395,837,319.38   | 19.62%  | 273,423,501.81   |
|  | 484,386,155.22   | 400,985,409.60   | 20.80%  | 277,736,057.58   |
|  | 407,604,439.26   | 343,028,902.33   | 18.83%  | 250,569,627.28   |
|  | 387,922,545.98   | 338,135,222.68   | 14.72%  | 215,060,348.64   |
|  | -131,716,469.55  | -164,309,239.32  | 19.84%  | 192,317,612.12   |
|  | 2011             | 2010             |         | 2009             |
|  | 5,107,991,862.91 | 3,144,976,915.44 | 62.42%  | 1,343,706,318.17 |
|  | 2,182,471,687.58 | 482,735,702.01   | 352.10% | 657,853,258.98   |
|  | 2,925,520,175.33 | 2,662,241,213.43 | 9.89%   | 685,853,059.19   |
|  | 708,813,750.00   | 472,542,500.00   | 50.00%  | 416,542,500.00   |

## 3.2

|   | 2011 | 2010 |        | 2009 |
|---|------|------|--------|------|
| / | 0.58 | 0.48 | 20.83% | 0.35 |


|  |               |   |              |               |
|--|---------------|---|--------------|---------------|
|  |               |   |              |               |
|  | 437,880.31    |   | 1,058,980.96 | 2,697,043.50  |
|  | -3,576,871.71 |   | -884,410.57  | -988,921.31   |
|  | 19,681,893.28 | - | 4,893,679.65 | 35,509,278.64 |

## 4

## 4.1 10 10

|      |          |        |             |             |
|------|----------|--------|-------------|-------------|
| 2011 | 34,736   |        |             | 32,447      |
| 10   |          |        |             |             |
|      |          | %      |             |             |
|      |          | 64.19% | 454,991,250 | 454,991,250 |
|      |          | 3.94%  | 27,950,689  | 0           |
|      |          | 2.99%  | 21,160,050  | 0           |
|      |          | 1.48%  | 10,500,000  | 0           |
|      |          | 1.44%  | 10,231,326  | 0           |
|      |          | 1.11%  | 7,875,000   | 5,906,250   |
|      |          | 0.87%  | 6,175,000   | 5,906,250   |
|      |          | 0.87%  | 6,140,713   | 0           |
|      |          | 0.83%  | 5,906,250   | 5,906,250   |
|      |          | 0.19%  | 1,325,401   | 0           |
| 10   |          |        |             |             |
|      |          |        |             |             |
|      |          |        | 27,950,689  |             |
|      |          |        | 21,160,050  |             |
|      |          |        | 10,500,000  |             |
|      |          |        | 10,231,326  |             |
|      |          |        | 6,140,713   |             |
|      |          |        | 1,968,750   |             |
|      |          |        | 1,325,401   |             |
|      |          |        | 1,299,829   |             |
|      |          |        | 1,101,850   |             |
|      |          |        | 1,057,673   |             |
|      | 91.6459% |        |             |             |

#### 4.2



#### 5

#### 5.1

Table with scattered text elements including years (2011, 2012), percentages (3.7%, 7.49%, 100%), and terms (LED, ERP, GP, LED, ISO9001, ISO14001).

|      |      |      |      |         |     |              |     |  |          |
|------|------|------|------|---------|-----|--------------|-----|--|----------|
| 2011 | 1    | 8    | 5    | 2011 1  | 3.7 |              |     |  |          |
|      |      |      |      | 2011 12 |     |              |     |  |          |
|      |      |      |      | 2012 3  | 6   | 32-55        | LED |  |          |
| LED  |      |      | 2012 |         |     |              |     |  |          |
| 2    | 2011 |      | 7.49 |         |     |              |     |  |          |
| 2011 | 3D   |      |      | LED     |     |              |     |  |          |
| 3    | LED  |      | LED  |         |     |              |     |  |          |
|      |      | 2010 | 12   | LED     |     |              |     |  |          |
|      | LED  | 2011 | LED  | LED     |     |              |     |  |          |
|      |      |      |      |         |     |              |     |  |          |
|      | LED  | 2011 | LED  |         | LED |              |     |  |          |
|      |      |      |      |         |     |              |     |  | 2011     |
|      |      | 2011 | TCL  |         |     |              |     |  | 100%     |
|      |      | LED  |      |         | GP  |              |     |  |          |
|      |      | 2.7  |      |         | LED |              |     |  | 2011     |
|      | 2012 | LED  |      |         |     |              |     |  |          |
| 4    |      |      |      |         |     |              |     |  |          |
|      |      |      |      |         |     |              |     |  |          |
|      |      |      |      |         |     | ERP          |     |  | [2011]31 |
|      |      |      |      |         |     |              |     |  |          |
| 5    |      |      |      |         |     | ISO9001 2000 |     |  | ISO14001 |
| 2004 |      |      |      |         |     |              |     |  |          |

6  
IP

LED

LED

## 5.3

## 6

## 6.1

## 6.2

## 6.3

## 6.4

## 6.5 2012 1-3

|          |      |               |        |
|----------|------|---------------|--------|
| 2012 1-3 |      |               |        |
|          | 40   |               |        |
| 2012 1-3 |      | 40.00%        | 60.00% |
| 2011 1-3 |      | 66,338,966.52 |        |
|          | 2012 |               |        |